



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant	:	Yuen et al.)	Group Art Unit 2644
)	
Appl. No.	:	09/411,143)	
)	
Filed	:	October 4, 1999)	
)	
For	:	Acoustic Correction)	
		Apparatus)	
)	
Examiner	:	Tony M. Jacobson)	
)	

SUBMISSION OF PROPOSED DRAWING AMENDMENTS FOR APPROVAL BY THE EXAMINER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed March 25, 2004, Applicant respectfully requests approval of the following drawing changes shown in RED on the attached copies of the drawings as originally filed:

In Figure 14, please replace number 50 indicated in filter 1411 with 40, and
please replace the number 250 indicated in filter 1415 with 200, and
please replace reference designator 1700 with 1400.

In Figure 17, please replace reference designator 2000 with 1700,
please replace reference designator 2042 with 1742,
please replace reference designator 2044 with 1744,
please replace reference designator 2046 with 1746,
please replace reference designator 2047 with 1747,
please replace reference designator 2048 with 1748,
please replace reference designator 2049 with 1749,

Appl. No. : **09/411,143**
Filed : **October 4, 1999**

please replace reference designator 2050 with 1750, and
please delete reference designator 2040.

In Figure 19, please replace reference designator 2614 with 1914,
please replace reference designator 2616 with 1916,
please replace reference designator 2617 with 1917,
please replace reference designator 2618 with 1418, and
please correct the spelling of original to original.

In Figure 20, please add buffer 2006 between the outputs of differential perspective
correction apparatus 2002 and the first and second output signals 2030, 2032.

In Figure 27, please add reference designator 2714, and
please replace reference designator 27343 with 2734

In Figure 28, please add reference designator 2806,
please add reference designator 2824,
please replace the upper reference designator P13 with P10,
please replace the lower reference designator P13 with P11,
please replace reference designator P16 with P15, and
please replace reference designator 2824 with 2814.

In Figure 29, please add reference designator 2431.

In Figure 30, please replace reference designator 2762 with 3062.

In Figure 32, please replace reference designator 3020 with 3070.

In Figure 35, please replace reference designator 3220 with 3520.

In Figure 36, please replace reference designator 3060A with 3630A,
please replace reference designator 3310 with 3610,
please replace reference designator 3630A with 3630B,
please replace reference designator 1514 with 3614, and
please replace reference designator 2706 with 3006.

In Figure 37A, please replace the second occurrence of LIN with RIN

In Figure 37B, please add reference designators 3720 and 3721.

In Figure 38B, please add reference designator 3866.

Appl. No. : 09/411,143
Filed : October 4, 1999

COMMENTS

Applicant respectfully submits that the proposed drawing changes do not introduce new matter. The specification provides support for the reference designator changes to Figures 14, 17, 19, 27-30, 32, 35, 36, 37A, 37B, and 38B. The specification provides support for the change to Figure 20 on page 44 line 30 through page 45 line 3.

In addition, in the Notice of Draftsperson's Patent Drawing Review attached to the Office Action, the Draftsperson objected to Figures 5, 19, 27, 34, and 38 as having an improper margins. Further, the Draftsperson objected to Figure 37 as having non-uniform lines and numbers. Further, the Draftsperson objected to Figures 39-44 as having gray shading. Further, the Draftsperson objected to Figures 37-44 as having numbers letters and reference characters less than .32 cm in height. Further, the Draftsperson objected to the box around and legend title of Figures 39-44.

Applicant acknowledges the drawing informalities noted in the Notice of Draftsperson's Patent Drawing Review. Applicant also acknowledges the indication of drawing informality. Formal drawings addressing the informalities and inconsistencies noted by the Draftsperson, the Examiner, and the Applicant will be prepared and filed upon issuance of a Notice of Allowance.

Respectfully submitted,

KNOBBE, MARTENS, OLSON & BEAR, LLP

Dated: 6/9/04

By: John R. King
John R. King
Registration No. 34,362
Attorney of Record
Customer No. 20,995
(949) 760-0404




FIG. 14





FIG. 17




FIG. 19





FIG. 20




FIG. 27





FIG. 28

FIG. 29






FIG. 30




FIG. 32




FIG. 35







FIG. 36

FIG. 37A

42/52








FIG. 38B